

SMP Female to SMP Female Adapter



# **RF Adapters Technical Data Sheet**

## Configuration

- SMP Female Connector 1
- SMP Female Connector 2

## Features

- SMP Interface compliant with MIL-STD-348
- Gold Plated Beryllium Copper Contact

## **Applications**

Allows Connection Between Series
General Purpose Test

#### Description

Pasternack's PE91065 SMP female to SMP female adapter is part of our full line of RF components available for same-day shipping. Our SMP to SMP adapter has a female to female gender configuration. PE91065 SMP female to SMP female adapter operates to 40 GHz.

• 50 Ohms

Straight Body Geometry

Contact Plating per MIL-G-45204

RF adapters are often used to enable connections between two connector types that would otherwise not mate. Certain adapter configurations can also be used to protect connectors on expensive equipment where the number of connect/ disconnect cycles is high. An RF, microwave or millimeter wave adapter is connected to the equipment, and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connector savers. Pasternack also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

## **Electrical Specifications**

| Description     | Minimum | Typical | Maximum | Units |
|-----------------|---------|---------|---------|-------|
| Frequency Range | DC      |         | 40      | GHz   |
|                 |         |         |         |       |

#### Performance by Frequency

| Description     | F1         | F2 | F3 | F4 | F5 | Units |
|-----------------|------------|----|----|----|----|-------|
| Frequency Range | DC to 26.5 |    |    |    |    | GHz   |
| VSWR, Max       | 1.2:1      |    |    |    |    |       |

Electrical Specification Notes: Values at 25°C, sea level.

#### **Mechanical Specifications**

| 0.254 in [6.45 mm]  |
|---------------------|
| 0.131 in [3.33 mm]  |
| 0.0004 lbs [0.18 g] |
|                     |

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMP Female to SMP Female Adapter PE91065

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 Phone: (866) 727-8376 or (949) 261-1920 • Fax: (949) 261-7451

Sales@Pasternack.com • Techsupport@Pasternack.com

## PE91065



SMP Female to SMP Female Adapter



**PE91065** 

## **RF Adapters Technical Data Sheet**

| Description             | Connector 1 | Connector 2 |
|-------------------------|-------------|-------------|
| Туре                    | SMP Female  | SMP Female  |
| Polarity                | Standard    | Standard    |
| Interface Specification | MIL-STD-348 | MIL-STD-348 |

#### **Material Specifications**

|                 | Connector 1      |             | Conne            | ector 2     |  |
|-----------------|------------------|-------------|------------------|-------------|--|
| Description     | Material         | Plating     | Material         | Plating     |  |
| Туре            | SMP Female       |             | SMP Female       |             |  |
| Contact         | Beryllium Copper | Gold        | Beryllium Copper | Gold        |  |
|                 |                  | MIL-G-45204 |                  | MIL-G-45204 |  |
| Insulation      | PTFE             |             | PTFE             |             |  |
| Outer Conductor | Beryllium Copper | Gold        | Beryllium Copper | Gold        |  |
|                 |                  | MIL-G-45204 |                  | MIL-G-45204 |  |

## **Environmental Specifications**

Temperature

**Operating Range** 

-55 to +125 deg C

## Compliance Certifications (see product page for current document)

## Plotted and Other Data

Notes:

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMP Female to SMP Female Adapter PE91065

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 Phone: (866) 727-8376 or (949) 261-1920 • Fax: (949) 261-7451

Sales@Pasternack.com • Techsupport@Pasternack.com



SMP Female to SMP Female Adapter



## **RF Adapters Technical Data Sheet**

## **PE91065**

SMP Female to SMP Female Adapter from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMP Female to SMP Female Adapter PE91065

URL: https://www.pasternack.com/smp-female-smp-female-straight-adapter-pe91065-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

© 2016 Pasternack Enterprises All Rights Reserved

# PE91065 CAD Drawing SMP Female to SMP Female Adapter

