

SMA Female to 7/16 DIN Male Adapter



TECHNICAL DATA SHEET

SMA Female to 7/16 DIN Male Adapter	
Configuration Connector 1 Impedance 1 Connector 2 Impedance 2 Adapter Design Body Style	SMA Female 50 Ohms 7/16 DIN Male 50 Ohms Standard Straight
Mechanical Specifications	
Size Length, in [mm] Width/Dia., in [mm]	1.566 [39.78] 1.25 [31.75]
Connector 1 Type Inner Conductor Material and Plating Body Material and Plating Dielectric Type	SMA Female Gold Brass, Nickel PTFE
Connector 2 Type Inner Conductor Material and Plating Coupling Nut Material and Plating Hex Size, in. Torque, in-lbs [Nm] Body Material and Plating Dielectric Type	7/16 DIN Male Gold Brass, Nickel 1 1/4 15 [1.7] Brass, Nickel PTFE
Compliance Certifications (visit www.Pasternack.or RoHS Compliant	com for current document) Yes
Plotted and Other Data Notes:	Values at 25 °C, sea level

PE9412

URL: http://www.pasternack.com/sma-female-7-16-din-male-straight-adapter-pe9412-p.aspx

SMA Female to 7/16 DIN Male Adapter from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 **Phone:** (866) 727-8376 or (949) 261-1920 • **Fax:** (949) 261-7451 Sales@Pasternack.com • Techsupport@Pasternack.com

PE9412 CAD Drawing SMA Female to 7/16 DIN Male Adapter

